

October 31, 2003

Rick Wheeler
Inland Paperboard and Packaging, Inc.
2135 Stout Field East Drive
Indianapolis, Indiana 46202

Re: 097-18227-00314 First Administrative Amendment to MSOP 097-14600-00314

Dear Mr. Wheeler:

Inland Paperboard and Packaging, Inc., located at 2135 Stout Field East Drive, Indianapolis, Indiana 46202, was issued a Minor Source Operating Permit (MSOP 097-14600-00314) on September 23, 2003, relating to paperboard production.

On October 9, 2003, an application from Inland Paperboard and Packaging, Inc. was received, indicating that the process weight rate of the material going through the corrugator was erroneously listed in the original MSOP, issued on September 23, 2003, as less than one hundred (100) pounds per hour. The process weight rate of the material going through the corrugator is actually over one hundred (100) pounds per hour. The permit is hereby administratively amended as follows. The bold language is new language that has been added, and the language with a line through it has been taken out. These are only being used in this letter to emphasize the change made. The permit will already be revised as follows:

1. Condition D.1.1, Particulate Matter (PM) [326 IAC 6-3-2], will change to reflect a process weight rate in excess of 100 pounds per hour. The permit is amended as follows:

D.1.1 Particulate Emission Limitations [326 IAC 6-3-2]

~~Pursuant to 326 IAC 6-3-2, the allowable particulate emission rate from the paperboard corrugation operation, which is not exempt under 326 IAC 6-3-2(b) or (c), and has a maximum process weight rate of less than 100 pounds per hour, and the methods in 326 IAC 6-3-2 (b) through (d) do not apply, shall not exceed 0.551 pounds per hour.~~ **the particulate emissions from the paperboard corrugation operation shall be limited by the following:**

Interpolation and extrapolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67}$$

**where E = rate of emission in pounds per hour
and P = process weight rate in tons per hour**

The process weight rate for the corrugator is 21.3 tons per hour. Therefore, the allowable rate of emission in pounds per hour is 31.8 pounds per hour. The source is in compliance with a potential to emit 17.0 pounds per hour.

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this amendment and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Angelique Oliger, at (317) 327-2846.

Sincerely,

ORIGINALLY SIGNED BY

John B. Chavez
Administrator

Attachments: MSOP Administrative Amendment AA 097-18227-00314 (two pages)

**MINOR SOURCE OPERATING PERMIT
INDIANA DEPARTMENT OF ENVIRONMENTAL
MANAGEMENT
OFFICE OF AIR QUALITY
and
CITY OF INDIANAPOLIS
OFFICE OF ENVIRONMENTAL SERVICES**

**Inland Paperboard and Packaging, Inc.
2135 Stout Field
Indianapolis, Indiana 46202**

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the emission units described in Section A (Source Summary) of this permit.

This permit is issued to the above mentioned company under the provisions of 326 IAC 2-1.1, 326 IAC 2-5.1, 326 IAC 2-6.1 and 40 CFR 52.780, with conditions listed on the attached pages.

Operation Permit No.: MSOP 097-14600-00314	
Issued by: ORIGINALLY SIGNED BY John B. Chavez, Administrator Office of Environmental Services City of Indianapolis	Issuance Date: September 26, 2003 Expiration Date: September 26, 2008

First Administrative Amendment: AAM097-18227-00314	Page Affected: 16
Issued by: ORIGINALLY SIGNED BY John B. Chavez, Administrator Office of Environmental Services City of Indianapolis	Issuance Date: October 31, 2003

SECTION D.1

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-6.1]: One (1) paperboard corrugation operation, identified as 001, installed in 1998, with a maximum capacity of seven hundred (700) feet per minute, using a cyclone, identified as 014, as particulate control, and exhausting to stack 002.

(The information describing the process contained in this facility description box is descriptive information and does not constitute enforceable conditions.)

Emission Limitations and Standards

D.1.1 Particulate Emission Limitations [326 IAC 6-3-2]

Pursuant to 326 IAC 6-3-2, the particulate emissions from the paperboard corrugation operation shall be limited by the following:

Interpolation and extrapolation of the data for the process weight rate up to sixty thousand (60,000) pounds per hour shall be accomplished by use of the equation:

$$E = 4.10 P^{0.67}$$

where E = rate of emission in pounds per hour
and P = process weight rate in tons per hour

The process weight rate for the corrugator is 21.3 tons per hour. Therefore, the allowable rate of emission in pounds per hour is 31.8 pounds per hour. The source is in compliance with a potential to emit 17.0 pounds per hour.